

TASER

P r o t e c t L i f e

User Certification Course TASER® X26™ Conducted Electrical Weapon
Version 19 Released April 2013

TRAINING VERSION 19

With the release of Version 19 all prior TASER training materials and Training Bulletins are superseded and rendered obsolete

- The contents of this course must be considered and understood as a whole
- Archive prior versions of training materials and replace with Version 19



TASER
TRAINING ACADEMY



PROGRAM REQUIRES

Prior to beginning any class every participant **MUST** receive, fully read, understand, and accept and abide by the most current versions of:

1. TASER Warnings, and
2. Instructor and User Warnings, Risks, Liability Release, Covenant Not to Sue, and Agreement to Fully Indemnify form (the “RELEASE”)

Each person **MUST** also complete, date, sign, and return the RELEASE to instructor.

The signed RELEASE must be returned to TASER



TASER
TRAINING ACADEMY

DISCLAIMERS

- TASER training materials may include videos or other information from outside sources for illustrative purposes to explain certain concepts and facilitate discussion. The inclusion of any video is not an endorsement of the video, its contents, or tactics.
- TASER does **NOT** recommend or endorse any of the procedures, techniques, tactics, or methods depicted or illustrated in these outside materials and specifically disclaims any liability for any such use, beliefs, or practices.



TASER
TRAINING ACADEMY

Agency Policy Considerations for Use of Force

- TASER CEWs are serious weapons and are to be treated as such at all times
- The TASER CEW is NOT a substitute for deadly force



TASER
TRAINING ACADEMY

Goal

To provide the basic operational theory and practical training to reasonably safely and effectively operate the TASER X26 Conducted Electrical Weapon (CEW).



TASER
TRAINING ACADEMY

SAFETY RULES

- **No live firearms in training area**
- **Every participant is a safety officer.** Bring all unsafe conditions immediately to the attention of the instructor. If an unsafe condition occurs or is noticed during an exercise, the student or instructor observing the unsafe condition will call, **“Stop action!”**
- All activity will stop when any student or instructor calls, **“Stop action!”**



TASER
TRAINING ACADEMY

SAFETY RULES

- The safety switch of all TASER CEWs will remain in the down (SAFE) position unless the instructor directs students to arm the CEW or when it is appropriate to do so during a training drill or scenario
- TASER CEWs must not be pointed at any person or body part unless the instructor directs students to do so as part of a training exercise or when it is appropriate to do so during a training scenario



SAFETY RULES

- A TASER CEW loaded with a live cartridge must not be pointed at another person or body part except during voluntary exposures
- An LS (blue) training cartridge must be used for simulation exercises when the subject being targeted is wearing a protective simulation suit
- LASERs must not be pointed at eyes
- Probes must be removed according to proper protocol



TASER
TRAINING ACADEMY

TASER CEWs Are Not Risk Free



Conducted Electrical Weapon

- Can temporarily incapacitate target.
- Can cause death or serious injury.
- Obey warnings, instructions and all laws.
- Comply with current training materials and requirements.
- See www.TASER.com.

At this time distribute, review and understand the current TASER product warnings




Change in Behavior



Nervous System

Stun vs. NMI



Central Nervous System

Command center – brain & spinal cord.

Motor Nervous System

Carries commands from the brain to muscles (NMI systems affect BOTH the sensory and motor nerves)

Sensory Nervous System

Brings information into the brain (effected by stun systems)



Departmental Policies




TASER
TRAINING ACADEMY



Los Angeles County
Sheriffs Department

Situational Use of Force Options



5-06/040.95 ELECTRONIC IMMOBILIZATION DEVICE (TASER) PROCEDURES

The TASER is a less lethal hand held electronic immobilization device used for controlling assaultive/high risk persons.

The purpose of this device is to facilitate a safe and effective response in order to minimize injury to suspects and deputies.

Use of the Electronic Immobilization Device (TASER)

The following policy guidelines shall be adhered to:



TASER
TRAINING ACADEMY

5-06/040.95 ELECTRONIC IMMOBILIZATION DEVICE (TASER) PROCEDURES

- Only a Departmentally approved TASER shall be utilized by personnel,
- A TASER shall be issued to and used only by those personnel who have completed the Department's TASER Training Program,
- Personnel authorized to carry a TASER on duty, may purchase a Departmentally approved TASER for on and off duty use,
- Prior to the use of the TASER, whenever practical, Department personnel shall request a supervisor,



5-06/040.95 ELECTRONIC IMMOBILIZATION DEVICE (TASER) PROCEDURES

- Any individual subjected to an application of the TASER, in either the "probe" or the "touch/drive stun" mode, shall be taken to a medical facility prior to booking, for appropriate medical treatment and/or removal of the probes,
- Application of the TASER shall be discontinued once the suspect does not pose an immediate threat to themselves, Department personnel or the public.



TASER
TRAINING ACADEMY

5-06/040.95 ELECTRONIC IMMOBILIZATION DEVICE (TASER) PROCEDURES

Except in emergent circumstances, the TASER should not be applied to the following or used in any other situation where there is a reasonably foreseeable likelihood of severe injury or death.

In the extraordinary instance that Department personnel feel compelled to utilize the TASER in the following circumstances, the conduct of the involved personnel shall be evaluated in accordance to the Use of Force policy with sound tactical principles.



5-06/040.95 ELECTRONIC IMMOBILIZATION DEVICE (TASER) PROCEDURES

- **Handcuffed persons,**
- **Persons detained in a police vehicle,**
- **Persons detained in any booking or holding cell,**
- **Persons in control of a motor vehicle,**
- **Persons in danger of falling or becoming entangled in machinery or heavy equipment which could result in death or serious bodily injury,**
- **Persons near flammable or combustible fumes,**
- **Persons near any body of water that may present a drowning risk,**
- **Persons known to have a pacemaker or known to be pregnant.**



TASER
TRAINING ACADEMY

5-06/040.95 ELECTRONIC IMMOBILIZATION DEVICE (TASER) PROCEDURES

The Custody Division Manual may define criteria for a unique application of the TASER within a custodial setting.



TASER
TRAINING ACADEMY

5-06/040.95 ELECTRONIC IMMOBILIZATION DEVICE (TASER) PROCEDURES

Verbal Warning

Unless it would compromise officer safety or is impractical due to circumstances, a verbal warning of the intended use of the TASER shall precede the activation of the device in order to:

- Provide the individual with a reasonable opportunity to voluntarily comply.
- Provide other sworn personnel and individuals with a warning that a TASER may be activated.



TASER
TRAINING ACADEMY

5-06/040.95 ELECTRONIC IMMOBILIZATION DEVICE (TASER) PROCEDURES

The fact that a verbal and/or other warning was given or reasons it was not given shall be documented in any related reports.

Authorized Department personnel discharging a TASER shall request the response of a supervisor if not already en route or on-scene.



TASER
TRAINING ACADEMY

5-06/040.95 ELECTRONIC IMMOBILIZATION DEVICE (TASER) PROCEDURES

Reporting the Use of the Electronic Immobilization Device (TASER)

The use of the TASER, either by utilizing the probes or the touch/drive stun mode, shall be reported as a "significant" use of force as defined in the Department Manual of Policy and Procedures, section 5-09/430.00, "Use of Force Reporting and Review Procedures."



TASER
TRAINING ACADEMY

5-06/040.95 ELECTRONIC IMMOBILIZATION DEVICE (TASER) PROCEDURES

Whenever a use of a TASER requires force reporting, a download of the TASER stored data and video shall be conducted and submitted with the force package.

Personally Owned Electronic Immobilization Devices (TASER)

Authorized Department personnel shall only carry Department authorized Electronic Immobilization Devices (TASER) whether on or off-duty.



TASER
TRAINING ACADEMY


5-06/040.95 ELECTRONIC IMMOBILIZATION DEVICE (TASER) PROCEDURES

Personally owned TASERs shall be available for computer download upon the request of a supervisor. The device shall meet the specification of the Weapons Training Center, and shall only be used in accordance with this section.

Department personnel shall record all personally owned Department-authorized TASERs (carried on-duty and off-duty) with Personnel Administration when the devices are purchased or obtained, sold or disposed of, stolen or lost.

Revised 06/20/11 Revised 02/07/11

Revised 11/03/08 Revised 08/10/05



Custody Division Manual

3-03/020.20 ELECTRONIC IMMOBILIZATION DEVICE (TASER) PROCEDURES

The TASER is a less lethal hand held electronic immobilization device used for controlling assaultive/high risk persons.

The purpose of the TASER is to facilitate a safe and effective response to situations which jeopardize the life and safety of personnel, inmates, and/or the security and operations of custody facilities.



TASER
TRAINING ACADEMY

Custody Division Manual

The TASER can be deployed on a routine basis with prior approval from the unit commander. If a TASER has been deployed, the sworn personnel issued the TASER shall be authorized to use it in compliance with the assaultive - high risk category of the Situational Use of Force Options chart.

Deputies shall carry the TASER on their support side (opposite duty firearm) in a holster. The weak side draw or cross draw methods are both acceptable.



TASER
TRAINING ACADEMY

Custody Division Manual

The use of any TASER is considered significant force. All sworn personnel utilizing this weapon must do so when fully justified, and in conformance with:

- Department Manual of Policy and Procedures, section 3-01/025.00, “Use of Force,”
- Department Manual of Policy and Procedures, section 5-06/040.95, “Electronic Immobilization Device (TASER) Procedures.”
- Department Manual of Policy and Procedures, section 5-09/430.00, “Use of Force Reporting and Review Procedures.”



TASER
TRAINING ACADEMY

Custody Division Manual

- Sworn Personnel will be considered qualified to use the weapon only after attending, and successfully completing, the Department's TASER Training Program presented under the direction of the Custody Training Unit.
- Departmentally approved TASERs may be purchased by sworn personnel. Personally owned TASERs may be carried only after the approval of their unit commander, inspection by the Custody Training Unit, and successfully completing the Department's TASER Training Program. Personally owned TASERs shall be available for computer download upon the request of a supervisor.



TASER
TRAINING ACADEMY

Custody Division Manual

In addition to the above procedures, sworn personnel utilizing this weapon in a Custody facility shall abide by the following:

- Sworn personnel may demonstrate a “sparking” of the weapon in an effort to gain voluntary compliance of the suspect. In the event the TASER is “sparked” by Sworn personnel, a notation shall be made in their Uniform Daily Activity Log (UDAL), if applicable, and/or submit a memorandum to their direct supervisor fully justifying their actions.



TASER
TRAINING ACADEMY

Custody Division Manual

- Deputies, when feasible, shall give a warning prior to activating the TASER.
- In all in-custody related deaths or death associated with the employment of the TASER; the used TASER, cartridges, wiring, and the DARTS (after removal of the DARTS by medical personnel) shall be retained and booked as evidence.



TASER
TRAINING ACADEMY

Custody Division Manual

Any individual subjected to an application of the TASER, in either the "probe" or the "touch/drive stun" mode, shall be taken to a medical facility, for appropriate medical treatment and/or removal of the probes.

Revised 09/20/11

Revised 08/04/11

Revised 09/22/05

Revised 04/01/05

12/10/01 CDM



TASER
TRAINING ACADEMY

Brief Overview of Selected Portions of Medical and Safety

Review TASER's CEW Research Index and other documents and materials contained on the Training DVD and on TASER's website.



TASER
TRAINING ACADEMY

CARDIAC

CEW cardiac risks are not zero.

CEW cardiac risks are sufficiently remote that making accurate risk or probability estimates are very difficult.



TASER
TRAINING ACADEMY

CARDIAC

Experts have identified the following key factors related to CEW cardiac risks:

- Dart-to-heart (“DTH”) distances,
- Amount of delivered electrical charge

The further a CEW dart is away from the heart and the lower the delivered electrical charge the lower the risk of the CEW affecting the heart.



TASER
TRAINING ACADEMY

CARDIAC

To reduce cardiac risks (when possible):

- Target the back
- Avoid targeting chest
- Avoid prolonged and repeated exposures



TASER
TRAINING ACADEMY

PHYSIOLOGIC/METABOLIC EFFECTS

CEWs produces physiologic or metabolic effects

- The longer the CEW exposure the greater the potential effects
 - Just like running up two flights of stairs will have a greater effect than running up one flight of stairs, or
 - Fighting, wrestling, or grappling for 60 seconds has a greater effect than 30 seconds, or 10 seconds.

As with any use of force, reasonable efforts should be made to minimize the number and durations of CEW exposures and potential resulting physiologic and metabolic effects



TASER
TRAINING ACADEMY

PHYSIOLOGIC OR METABOLIC EFFECTS

Studies show CEW effects are usually comparable or less than:

- Fighting
- Fleeing



TASER
TRAINING ACADEMY

TASER Technology

Medical Testing

Numerous human studies have shown lower effects on human physiology as compared to some other force options

Go to www.taser.com for this and other related research



TASER
TRAINING ACADEMY

Avoid Extended Durations

Several law enforcement groups have set out 15 seconds (multiple applications or continuous) of CEW exposure as a significant safety point:

- Police Executive Research Forum (PERF), Community Oriented Policing Services (COPS), and US Department of Justice (DOJ) (March 2011)
- Int'l Association of Chiefs of Police (IACP) (April 2010)
- American Academy of Emergency Medicine (AAEM) (May 2011)
- National Institute of Justice (NIJ) (May 2011)
- Civil Rights Division, DOJ (December 2012)



TASER
TRAINING ACADEMY

PERF Guideline 21 (03/11)

“Personnel should use [a CEW] for one standard cycle (five seconds) and then evaluate the situation to determine if subsequent cycles are necessary.”

“Personnel should consider that exposure to the [CEW] for longer than 15 seconds (whether due to multiple applications or continuous cycling) may increase the risk of death or serious injury.”

“Any subsequent [CEW] applications [beyond 15 seconds] should be independently justifiable, and the risks should be weighed against other force options.”



TASER
TRAINING ACADEMY

CEW Emergency Dept Evaluation

(Journal of Emergency Medicine, May 2011)

Reviewed studies did not report any evidence of dangerous laboratory abnormalities, physiologic changes, or immediate or delayed cardiac ischemia or dysrhythmias after exposure to CEW electrical discharges of up to 15 seconds.



TASER
TRAINING ACADEMY

HIGHER RISK POPULATIONS

CEWs, like other force options, have not been laboratory tested on:

- Pregnant women
- Infirm
- Elderly
- Small children
- Low body-mass index (BMI) persons

CEW use on these individuals could increase the risk of death or serious injury



Physiologically or Metabolically Compromised Persons

- Law enforcement personnel are called upon to deal with individuals in crises that are often physiologically or metabolically compromised and may be susceptible to arrest-related death (“ARD”)
- The subject may already be at risk of death or serious injury as a result of pre-existing conditions, individual susceptibilities, or other factors
- **Any physiologic or metabolic change may cause or contribute to death or serious injury**
- Follow your agency’s guidance and policies when dealing with physiologically or metabolically compromised persons




Independent Conclusions

All CEW users/instructors are encouraged to do their own research and analysis.

Some of the latest CEW Research can be viewed at:

<http://www.TASER.com/research-and-safety/science-and-medical>



TASER
TRAINING ACADEMY

Voluntary Exposures



TASER
TRAINING ACADEMY

Voluntary Exposure

- TASER does **NOT** require a CEW exposure for instructor or user certification.
- Voluntary CEW exposure is each agency's sole and exclusive decision
- Voluntary CEW exposures must only be conducted by a currently certified TASER Instructor adhering to TASER's training
- **Group CEW exposures are prohibited**



TASER
TRAINING ACADEMY

Voluntary Exposure

- CEW/NMI exposure involves strong muscle contractions and physical exertion similar to strenuous athletic activities, e.g. weight lifting, wrestling, or combat arts. Risks of injury from response, stress, movements, strong muscle contractions, physical exertion, falling, etc. while low, are not zero (see full warnings)
- Notify instructor verbally and in writing on RELEASE form of any pre-existing injuries, medical conditions, or individual susceptibilities
- All volunteers must review the TASER warnings and complete the RELEASE prior to any exposure



Voluntary Exposures

Instructors have NOT received training on how to determine if a student should or should not receive a voluntary CEW exposure. Thus, the decision is SOLELY and EXCLUSIVELY with the agency and individual student.

The Instructor has the authority to refuse to allow a student to take a voluntary exposure based on the student's pre-existing conditions, susceptibilities, or injuries; for any reason; or for no reason.



Voluntary Exposure

Benefits	Risks
<ul style="list-style-type: none">• Instructor credibility as a leader and subject matter expert• Officers can better understand the effects of the CEW<ul style="list-style-type: none">– For deployment– Confidence to go “hands-on” with a subject without receiving shock– Self-defense– Court expertise– Secondary exposures	<ul style="list-style-type: none">• Stress, anxiety, panic• Exertion and effects• Strong muscle contractions and effects• Discomfort or painful experience• Significant injuries have occurred <p>(SEE FULL WARNINGS)</p>



Voluntary Exposure Guidelines

- If probes are fired in lieu of attaching spent wires or alligator clips, then eye protection is required for the spotters, volunteer, and anyone downrange
- Probes should be deployed from behind the volunteer (avoids face, throat, genitals, breasts, chest or area of the heart).



TASER
TRAINING ACADEMY

Voluntary Exposure Guidelines

Persons volunteering for a CEW exposure must either be:

- properly supported by two spotters so they do not fall, or
- placed face down on the mat prior to exposure
- **Realistic field probe placements only**



TASER
TRAINING ACADEMY

Voluntary Exposure Guidelines

Each spotter should hold an upper arm of the standing volunteer under the armpit, so that:

The shoulder, arm, elbow, and wrist are to be stabilized close to the body to prevent stress, tension, or torsion on the joints

- The volunteer can be safely supported and lowered to the ground after being hit:
 - Without twisting, rotating, or putting undue stress on the arm or shoulder; or
 - Flailing forward after discharge



TASER
TRAINING ACADEMY

Involuntary Reflexes

Voluntary Exposure

WARM-UP

Prior to receiving a CEW exposure, volunteers SHALL stretch and warm-up as before exercising or athletics.

- Back
- Shoulders
- Arms
- Legs
- Torso



TASER
TRAINING ACADEMY

Warm Up Video

Volunteer Safety Requirements

- Proper matting
- Clear area of bystanders and objects
- Make area safe
- Careful probe removal using proper protocols

Subjects with pre-existing injuries, medical conditions, or individual susceptibilities should avoid CEW exposure or at a minimum avoid exposure to areas of concern

WARNING: FAILURE TO FOLLOW SAFETY PROCEDURES INCREASES THE RISK OF INJURY.



TASER
TRAINING ACADEMY

Voluntary Exposure Training Guidelines

- All Voluntary exposures must be field use realistic
- Utilize probe hits to allow students to remove probes
- Target different parts of the body to show different effects
- Demonstrate one probe hit with (three-point) drive-stun follow up
- Demonstrate difference between probe hits and drive stun



Spotters

Probe Removal


Voluntary Exposures

After demonstrating the following exposures, remaining hits should be done with the volunteer lying face down targeting the legs, or other areas of the body if necessary to avoid pre-existing injuries, medical conditions, or individual susceptibilities



TASER
TRAINING ACADEMY

Back shot



Leg Hit

Clothing Disconnect

Small Spread

Hitting Items in Pockets

Hit Remainder of Volunteers Laying Down

CEW Smart Use Considerations

TASER does not provide legal advice.



TASER
TRAINING ACADEMY

“Quantum of force”

Basically means:

- Reasonably foreseeable (to the officer)
- Effects and injuries of a chosen force option
- Under the totality of the circumstances



TASER
TRAINING ACADEMY

4th Amendment Risk Benefit Standard

“[I]n judging whether [officer’s] actions were reasonable, we must consider the risk of bodily harm that [officer’s] actions posed to [suspect] in light of the [suspect’s] threat to the public that [officer] was trying to eliminate.”

Scott v. Harris, 550 U.S. 372, 383 (2007)



TASER
TRAINING ACADEMY

4th Amendment – CEW Probe Mode

CEW in dart mode constitutes an “intermediate, significant level” of force that must be¹ justified by a strong government interest

- Pepper spray and batons are also intermediate force options.

CEW against a non-violent misdemeanant who appeared to pose no immediate threat and who was given no warning² was unconstitutional excessive force



TASER
TRAINING ACADEMY

4th Amendment

“It is an excessive and unreasonable use of force for a police officer repeatedly to administer electrical shocks with a [CEW] on an individual who no longer is armed, has been brought to the ground, has been restrained physically by several other officers, and no longer is actively resisting arrest.”*



TASER
TRAINING ACADEMY

4th Amendment

“...officers using unnecessary, gratuitous, and disproportionate force to seize a secured, unarmed citizen, do not act in an objectively reasonable manner and, thus, are not entitled to qualified immunity.”*



TASER
TRAINING ACADEMY

CEW Probe Mode Guidance

(Generally) To use CEW in probe mode officer must reasonably perceive subject to be:

- An immediate threat of harm/injury, or
- Fleeing or flight risk from serious offense crime and the officer is justified in tackling the person.

Consider necessity of a verbal warning before deploying the CEW. Be aware of foreseeable primary risks and risks of secondary injury, especially falls from heights or on hard surfaces, ignition of flammables, or effects of intermittent clothing disconnects.



TASER
TRAINING ACADEMY

Beaver v. City of Federal Way

1. The use of a CEW involves the application of force.

Each use of force [including each CEW cycle or 5 seconds of discharge] on a person that is a 4th Amendment seizure is the application of force and must be objectively reasonable.

2. Each additional CEW [5 seconds of] application involves an additional use of force.

This is true of any use of force.



TASER
TRAINING ACADEMY

Beaver v. City of Federal Way

3. Multiple CEW applications [each 5 seconds of discharge] cannot be justified solely on the grounds that a suspect fails to comply with a command, absent other indications that the suspect is an *immediate threat or about to flee* [from a serious crime].

This is particularly true when more than one officer is present to assist in controlling a situation.



TASER
TRAINING ACADEMY

Beaver v. City of Federal Way

4. Any decision to apply multiple CEW [5 second] applications must take into consideration whether a suspect is capable of complying with officers' commands.

This would apply to whether a suspect is capable of complying: physically, emotionally, language barrier, mental condition, etc.



TASER
TRAINING ACADEMY

Graham v. Connor Factors as Risk Prioritized Ranked by *Chew v. Gates*

Order of Importance – Potential for Injury Risk Importance

1. Immediate threat to safety of officers/others
2. Actively resisting
3. Circumstances tense, uncertain, rapidly evolving (“pace” of events)
4. Severity of the crime at issue
5. Attempting to evade seizure by flight



TASER
TRAINING ACADEMY

Assault Video

- Subject is an immediate threat
- Circumstances are tense, uncertain and rapidly evolving
- Serious crime
- No verbal warning (is this a problem?)
- Quantum of force (standing on grass)
- One cycle from an X2
- Verbal commands and an opportunity to comply
- Recorded on TASER CAM HD



Woman with Bat Video

Additional Force Factors

- Court may consider "the availability of [less injurious] alternative methods of capturing or subduing a suspect." ¹
- Court may consider what officers knew about the suspect's health, mental condition, or other relevant frailties.*²
- Officer should give a warning before force when appropriate.



TASER
TRAINING ACADEMY

Clarifying the *Graham* Factors:

(Immediate threat to safety of officers or others)

Graham's “*immediate*” vs. “*possible*” threat:

“[A] simple statement by an officer that he fears for his safety or the safety of others is not enough; there must be objective factors to justify such a concern.”¹

- *Beaver* – “*possibly*” had a weapon under him
- *Brooks* – “*could*” have fled in car

ONLY “immediate” threats – NOT “possible” threats



TASER
TRAINING ACADEMY

Considerations to Avoid CEW Excessive Force Liability

Force decision must reasonably consider (as time and circumstances reasonably permit):

- Officer's reasonable perceptions of subject's actions or behaviors the officer is attempting to stop, thwart, or control
- Officer's objective for using force
 - Use CEW only to accomplish lawful objectives
- Quantum of Force:
 - Foreseeable risks of injuries or harm to subject resulting from force to be used
 - Foreseeable secondary risks of injury
- (When necessary) Give warning and reasonably perceive subject capable of complying with demands



TASER
TRAINING ACADEMY

Considerations to Avoid CEW Excessive Force Liability

- Follow “targeting guidelines” when feasible and use 5-second “window of opportunity” to restrain and “cuff under power”
- Every CEW trigger pull or 5 seconds of discharge must be justified under the specific circumstances of the incident
- CEW use is within:
 - Law (correctly applied legal standards of care) and
 - Agency Policy and Training
- Do not use CEW for:
 - verbal defiance
 - belligerence
 - punishment
 - horse play



TASER
TRAINING ACADEMY

Considerations to Avoid CEW Excessive Force Liability

- Fully document
 - Subject's threats, behaviors, and actions
 - Each use or application of force
 - Each CEW trigger pull or 5-second discharge
 - Each mode of CEW use
 - Each injury or allegation of injury
- Avoid multiple, repeated, prolonged, extended, or continuous CEW exposures¹ unless necessary to counter reasonably perceived threat(s) and it is justifiable
 - always document your justifications



TASER
TRAINING ACADEMY

Considerations to Avoid CEW Excessive Force Liability

If person is not an immediate threat or flight risk:

- do not immediately resort to CEW without first attempting to use negotiation, commands, or physical skills¹
- avoid using CEW on person who is actually or perceived to be mentally ill²
- avoid using CEW on elevated risk population member, unless necessary and justifiable
- avoid intentionally targeting sensitive areas when possible
- do not use pain compliance if circumstances dictate that pain is reasonably foreseeable ineffective (usually due to drug, alcohol, or mental illness caused elevation of pain tolerance)



CEW Legal Resources

- AELE ECW Resources/References portal

<http://www.aele.org/law/Digests/ECWcases.html>

- www.CEWlaw.info for more information
- A Use of Force Matrix and Constitutional Timeline are in the Legal module of the instructor manual
- More use of force resource material is in the Support Materials/Legal folder on the Version 19 training DVD




TASER
TRAINING ACADEMY

X26 CEW



TASER
TRAINING ACADEMY




Conducted Electrical Weapons (CEWs) are designed to use propelled wires or direct contact to conduct electrical charge to primarily affect motor functions and/or the sensory nervous system.

The X26 is a software upgradable CEW manufactured by TASER International, Inc.

TASER X26

Constructed of impact resistant sonic welded polymer. Mass = 7 ounces.



X26 CEW Trigger Operation

- Single trigger pull and release discharges an electrical charge for a 5-second cycle
- Shift the safety switch down (SAFE) to stop a discharge (e.g., if accidentally discharged)
- Holding the trigger continuously beyond the 5-second cycle will continue the electrical discharge until the trigger is released. (The discharge will cease once the trigger is released after the initial 5-second cycle.)



TASER
TRAINING ACADEMY

Know Your CEW Trigger Operation: Continuous Discharge

- Remember, if you hold the trigger back, the X26 CEW will continue to discharge after the 5-second cycle until you release the trigger, as long as the battery charge is sufficient to support discharge
 - Does not apply to X2/X26P CEWs with APPM
- Holding the trigger back may result in continuous, extended, or prolonged CEW discharges and allegations of excessive force or elevated or cumulative subject injury



Ambidextrous Safety

- Safety Switch Down
 - (SAFE)
- Safety Switch Up
 - (ARMED)
 - Activates CID and selected illumination



TASER
TRAINING ACADEMY

Ambidextrous Safety

- The ambidextrous safety switches do not operate independently of each other
- Do not block the safety switch on one side of the X26 CEW while attempting to move it on the other side.
 - This can break the safety switch and disable the CEW



TASER
TRAINING ACADEMY

CID Display


- 06..10..04--00..01..27..01..14--26—20
- (First 3 numbers) Warranty expiration
yr-mo-day (As of May 11, 2009 warranty
expiration does not show on CID and will display
as three sets of “00”)
- -- (separator)
- (Next 5 numbers) Yr-Mo-Day-24hr-Mn (GMT)
- -- (separator)
- (9th number) Temp in Celsius
- -- (separator)
- (last number) Software revision
- Unit will display battery percentage for
approximately five seconds when in fire mode,
then will display two illuminated dots.



TASER
TRAINING ACADEMY

CID Countdown

- Counts down the cycle
- 05,04,03,02,00
(with software version 20 or higher)



TASER
TRAINING ACADEMY

Illumination Button

- With the safety switch in the down (SAFE) position, use finger to hold the illumination button down for approximately two seconds to bring up display **(Do not use objects like pens, paper clips or knives as this can result in switch breakage or the switch could get stuck)**
- LO- Laser Only Mode
- OF- Flashlight Only Mode
- LF-Laser/Flashlight Mode
- OO- Stealth Mode (no light/no laser and CID is dim)



TASER
TRAINING ACADEMY

Batteries: DPM/XDPM

- 2 x 3 volt lithium energy cells
- Provides up to 195 5-second cycles at room temperature
- Digital memory (% life remaining)



TASER
TRAINING ACADEMY

DPM Digital Memory

- Digital memory stored in DPM contains calculated percentage value of remaining battery life
- X26 CEW interprets and displays this value on the CID



TASER
TRAINING ACADEMY

DPM Replacement / Upgrading

- Replace DPM when % remaining is < 20%
- Use for training until 1% remaining
- Dispose at 1%
 - Caution: Continued use at 1% or lower could cause damage to the X26 CEW



DPM Cautions

- X26 CEW must be stored with DPM/XDPM inserted at all times
 - Failure to do so may result in loss of time and date settings, software corruption, and/or X26 CEW failure
 - This also applies to sending in an X26 CEW to TASER for repairs or replacement
- If DPM/XDPM is left out for an extended period of time...
 - Software configurations in the X26 CEW may be corrupted and date/time will be reset
 - Refer to online troubleshooting guide



TASER
TRAINING ACADEMY

Firmware Updates

- TASER periodically updates X26 CEW operating firmware
- A Training Bulletin notification is emailed
- Firmware is programmed into DPMs
- All X26s should be programmed with the updated firmware ASAP
- Failure to update firmware could affect X26 performance and shorten its useful life



DPM Upgrading

- **Caution:** When a DPM/XDPM is replaced with a DPM/XDPM that contains a newer software version, a programming upgrade will occur
- A “P” is displayed in the CID during the upgrade process
 - Process takes approximately 45 seconds for V-20 or older. V-21 programming takes 10-12 seconds, V22 (released March, 2009) takes 6-8 seconds to upgrade.
 - During this time the X26 CEW must not be activated!



TASER
TRAINING ACADEMY

DPM Upgrading

- After programming has completed, the X26 CEW will start boot up sequence
- **Caution:** Removal of DPM/XDPM during "P" state in the initial boot-up WILL corrupt the X26 CEW software
 - CID will display a code of “E”, “H” or will be blank and the X26 CEW must be returned to the factory



DPM/XDPM & TASER Cam Gaskets

- Keeps debris out
- Must be inserted firmly
 - Failure to do so can result in disconnect



TASER
TRAINING ACADEMY

X26 CEW: Important Tips

- **System date & time is always GMT**

- When you insert a DPM for system boot up, it will display GMT time and date
- X26 CEW download software will compensate based on computer time zone settings

- **System “sleeps” after being armed for 20 minutes**

- Helps avoid accidental battery depletion
- CID screen will go blank and will not fire.
- Re-arm by flipping safety switch down and then flipping back up.
- This includes an X26 CEW with TASER CAM installed
 - The TASER CAM will stop recording when the X26 CEW goes into “SLEEP” mode (20 minutes)
 - It will start recording when the X26 CEW is reactivated

- **X26 CEW MUST BE STORED WITH DPM INSTALLED!**



Spark Test

- A daily spark test should be conducted once every 24 hours or prior to the start of your shift for individually issued X26
- The reason for the spark test is:
 - To check that the X26 is sparking
 - To check the battery performance
 - There are components in the high voltage section of some older X26 CEWs that are more reliable when energized (“conditioned”) on a regular basis.



TASER
TRAINING ACADEMY

Spark Test

- One spark (1/19th of a second) is adequate. However this is not a practical duration. As long as the officer sees a visible spark between the electrodes, it is not necessary to extend the duration. In most cases, this takes less than 1 second.



TASER
TRAINING ACADEMY

Spark Test

When conducting a spark test:

1. Follow agency protocol
2. Point in a safe direction
3. Keep body parts away from the front of the cartridge
4. Safely remove the cartridge (beware of static discharge)
5. Put safety switch in the up (ARMED) position



TASER
TRAINING ACADEMY

Spark Test (cont.)

When conducting a spark test:

6. Pull the trigger
7. Visually and audibly inspect the arc from arm's length
8. Put safety switch in the down (SAFE) position
9. Safely load the CEW before taking it into the field



Spark Test

When conducting a spark test:

10. Listen for typical spark pulse rate and if pulse rate is slow replace battery (DPM/XDPM) and retest. If still slow, take out of service
11. Be aware of potential stress memory concerns of deactivating CEW in field use too quickly.*



TASER
TRAINING ACADEMY

X26 CEW Dataport

Connection Kits Sold Separately



- X26 CEW USB Dataport
 - Time, date, duration, temp, battery status of each firing (last 2,000)
 - Connection protected inside DPM slot
 - Encrypted data files
 - Date range downloads
 - USB plug & play



Download

TASER X26 Download

X26 DATAPORT DOWNLOAD

Serial Number of X26: X00-199062 Model #: X26

Date of Download: 02/14/13 15:50:51 (Local)

Local Times Calculated for: US Mountain Standard Time *DST

Date Range Downloaded: All Data

Current PC Time (Local): 02/14/13 15:51:04

Current X26 Time (Local): 02/14/13 15:51:11

Time Difference: 00 Hours 00 Minutes -7 Seconds

RECORDED FIRING DATA

0545	02/07/13 15:12:50	02/07/13 08:12:50	2	24	22
0548	02/14/13 22:01:56	02/14/13 15:01:56	5	23	22
0549	02/14/13 22:02:03	02/14/13 15:02:03	5	23	21

Firing records found: 529

TIME CHANGE RECORD

0546	02/07/13 15:18:01	02/07/13 08:18:01	FROM
0547	02/07/13 15:18:00	02/07/13 08:18:00	TO

Time change records found: 20

Buttons:

- Zoom Out
- Print Preview
- Save Encrypted Record
- Exit



X26 CEW Download using EVIDENCE.COM

Must use EVIDENCE SYNC through
EVIDENCE.COM to download the X26
CEW



EVIDENCE.COM-Lite

EVIDENCE SYNC™ Version 1.26.670.0-1114

MY PROFILE HELP LOGOUT



X00-088637

Device Summary

EVENT LOG

FILTER RESULTS

Event Type: Fire Event

- All
- Fire Event
- Sync Event
- Errors

Time Stamp: 2 Weeks

PDF REPORT

EVENT LOG

#218 - Fire

TIME STAMP

26 Jan 2010 07:58:03

Datetime 26 Jan 2010 07:58:03 (UTC-0700)

Duration 1 second

Temperature 26°C

Battery 99%

#217 - Fire

26 Jan 2010 07:58:02

ACCOUNT



Ray Minor
Badge No: test8
PRO User

RECENT ACTIVITY

05 Mar 2007 10:22:19 (UTC-0700)
Fire Event

05 Mar 2007 10:07:19 (UTC-0700)
Fire Event

05 Mar 2007 10:08:28 (UTC-0700)
Fire Event

05 Mar 2007 10:08:08 (UTC-0700)
Fire Event

05 Mar 2007 09:07:51 (UTC-0700)
Fire Event

05 Mar 2007 09:07:49 (UTC-0700)
Fire Event

05 Mar 2007 08:18:01 (UTC-0700)
Fire Event

05 Mar 2007 08:17:51 (UTC-0700)
Fire Event

05 Mar 2007 07:38:18 (UTC-0700)
Fire Event

05 Mar 2007 07:38:16 (UTC-0700)
Fire Event

X26 CEW Download Maintenance

Recommend conducting a quarterly download and clock reset



TASER
TRAINING ACADEMY

Attaching Serial Numbers to CEWs

- **Do not use metal tags**, they are conductive and could cause the energy to be redirected back to the user or CEW
- Do not use a vibrating etching machine. This could compromise the integrity of the plastic and introduce foreign material into the CEW's internal components.;
- Recommend: Apply paper or plastic labels with the serial number or write the serial number on the TASER CEW in permanent ink
- Contact customer service at TASER for custom engraving



CEW Radio Interference

- Interference from other electronic transmission devices in close proximity to the TASER CEW could interfere with the proper operation of the TASER CEW
- Place the TASER CEW several inches away from other electronic devices
- The safety switch on a TASER CEW should be placed in the down (SAFE) position whenever it is immediately adjacent to other electronic equipment



TASER
TRAINING ACADEMY

CEW Warranty

For X26 CEW warranty information go to
www.TASER.com



TASER
TRAINING ACADEMY

X/M26 CEW Maintenance & Care

Agency will establish agency maintenance SOP

- Avoid dropping - sensitive, electronic device -- similar care of a cell phone
- Check DPM regularly
- Always store X26 CEW with DPM inserted
- TASER cartridges expire five years from date of manufacture
- Secure in protective holster, when not in use
 - Do not store in pockets without holster
- When an X26 CEW needs to be returned to TASER, download the data for that unit and preserve for evidence for any concerns from a past event prior to returning. Also mark the RMA form indicating the files are evidence.
- Avoid exposing X26 CEW to excessive moisture



TASER
TRAINING ACADEMY

Dropped or Wet X/M26 CEW

- If completely submerged, return to TASER

For all others:

- Safety switch down (SAFE)
- Point in safe direction and remove cartridge
- Remove DPM
- Dry X26 CEW thoroughly (at least 24 hours)
- Reinstall DPM
- Safety switch up (ARMED)
 - If discharges without pulling the trigger, remove DPM and return to TASER
- Spark test 3 full 5-second cycles
- If X26 CEW does not function properly, return to TASER
- If spark test is normal, return to service



TASER
TRAINING ACADEMY

TASER CAM



TASER
TRAINING ACADEMY

TASER CAM

- Can be used with any X26 CEW
- Replaces DPM
- Has approximately 1.5 second boot up
- 1.5 hours of video & audio
- 100 5-second cycles plus audio and video when fully charged
- Video: 320 X 240 Resolution
 - QVGA Black & White at 10 FPS
 - MPEG-4 Video/Audio Compression



TASER
TRAINING ACADEMY

TASER CAM

- Built in infrared light source for low light and no light capability
- When lens is covered the CID flashes “88” and the LASER will also flash
- Rechargeable via USB or AC wall outlet



TASER
TRAINING ACADEMY

TASER CAM



TASER CAM

Infrared only no LASER/LIL- complete darkness



X00088657

08/18/06 21:06:34

TASER CAM Use



15

TASER CAM Maintenance

Periodically check and clean the lens with a cotton swab



TASER
TRAINING ACADEMY

TASER CAM II

- Released March, 2012
- Replaced original TASER CAM
- Records 4.5 hours of audio and video
- Approximately 1.5 second boot up time
- 640 X 480 resolution
- 15 frames per second
- Audio can be disabled in EVIDENCE Sync
- Requires EVIDENCE Sync to download



TASER Cartridge



TASER
TRAINING ACADEMY

Cartridges

- TASER cartridges are used in the X26, X26P, M26 and SHOCKWAVE CEWs
 - Available in 15, 21, 25 and 35 ft*
- All TASER cartridges have a 5 year expiration from date of manufacture

TASER cartridges are deployed by electrical arc. Discharging CEW, static electricity, or other electrical source can cause inadvertent cartridge deployment.



TASER
TRAINING ACADEMY

Cartridges



15 ft.
(4.6 meters)
Yellow blast doors
Live cartridge
Regular probe



21 ft.
(6.4 meters)
Silver blast doors
Live cartridge
Regular probe



XP 25 ft.
(7.6 meters)
Green blast doors
Live cartridge
XP probe



XP 35 ft.
Special Duty
(10.67 meters)
Orange door
Live cartridge XP probe



TASER
TRAINING ACADEMY



LS 21 ft.
(6.4 meters)
Blue cartridge/blue blast doors
Short probe



TASER
TRAINING ACADEMY

Cartridge Inspection


- Blast doors attached
- No cracks
- Locking tabs are not compressed
- Expiration date (cartridges have 5 year life)



TASER
TRAINING ACADEMY

15, 21, LS & XP25 TASER Cartridges




The top probe is “horizontal” relative to CEW



Bottom probe 8-degrees down



TASER Cartridge Probe Assembly



DART ASSEMBLY TRAINING.


DART ASSEMBLY REGULAR.

DART ASSEMBLY XP.



TASER Cartridge Probe Spread For 15, 21 & 25 Foot Cartridges

- Rule of thumb: ~1 foot (.3 m) spread for every 7 feet (2.1 m) of travel



	(m)	.6m	1.5m	2.1m	3m	4.5m	6.4m	7.6m
Target Distance (ft)	2'	5'	7'	10'	15'	21'	25'	
Spread (in)	4"	9"	13"	18"	26"	36"	38"	
	(cm)	10cm	23cm	33cm	46cm	66cm	91cm	109cm



XP 35 ft


Special Duty
(10.67 meters)
Orange door
Live cartridge XP
probe



TASER
TRAINING ACADEMY

© 1998-2009 TASER International.
See Trademark Notice file on DVD. © 2013 TASER International Inc.

XP35 TASER Cartridge



Probe Trajectory For XP35 Special Duty Cartridge


CARTRIDGE TRAJECTORY:

35' CARTRIDGE

WARNING:

At distances less than 25', the top probe travels above the laser sight point up to a maximum of approximately 4" at a distance of 12'. Adjust your aim accordingly at these distances to avoid hitting sensitive body areas.

See graphic representation below.



AVERAGE DART TRAJECTORY IN CORRELATION TO A LASER SIGHT LINE

DEPLOYMENT	12' (3.66 m)	25' (7.62 m)	35' (10.67 m)
TOP PROBE AVERAGE	+ 4.0" (10.16 cm)	+ 0.7" (1.78 cm)	- 8.0" (-20.32 cm)
BOTTOM PROBE AVERAGE	- 3.0" (7.62 cm)	- 16.0" (-40.64 cm)	- 34.0" (-86.36 cm)

— Average Probe Trajectory

— Laser Sight Line

■ ■ ■ Top Probe (97% of probes fall within this area)

■ ■ ■ Bottom Probe (97% of probes fall within this area)



TASER
TRAINING ACADEMY

Cannot
Discharge

May Discharge
(but not reliably)



Wires

- Steel with insulated coating
- Can break easily if stepped on or pulled
- Inadvertent contact with wires or the probe during discharge can result in electrical shock



TASER
TRAINING ACADEMY


Wires

- TASER operator should advise officers to avoid wires during restraint
- Avoid crossing wires when multiple TASER CEWs are deployed



TASER
TRAINING ACADEMY

AFIDs



- Each cartridge contains 20-30 Anti-Felon Identification Tags (AFIDs) with the cartridge serial number printed on them
- Cartridges manufactured after November 2009 have the serial number and 2D bar code LASER engraved onto the back of the cartridge



TASER
TRAINING ACADEMY


TASER Cartridge Shipping Covers

- On cartridges for safe shipping
- Do not attempt to load a cartridge with the cover in place onto a TASER CEW

Covers should be removed prior to cartridges being taken into the field



Cartridge Cover removal



Pull out the sides of the cartridge shipping cover with index and middle fingers



Push up on cartridge with thumbs



TASER
TRAINING ACADEMY

Loading TASER Cartridges

Hold the TASER cartridge by the sides while keeping all body parts away from the front

- be cautious of inadvertent cartridge deployment



TASER
TRAINING ACADEMY

Loading TASER Cartridges

- Ensure the safety switch is in the down (SAFE) position
- Point the X26 CEW in a safe direction
- Insert the TASER cartridge into the deployment bay until it is seated



Cartridge Safety

- Deployed by electrical discharge
- Can be discharged by static electricity (TASER cartridge only)
- Keep hands away from the front of cartridges
- Do not inadvertently point cartridges at yourself or at anyone else



TASER
TRAINING ACADEMY

Improperly Replacing Blast Doors



TASER
TRAINING ACADEMY

Improperly Replacing Blast Doors



Tactical Considerations



TASER
TRAINING ACADEMY

Holster: Pros & Cons

Support Side Carry	Dominant Side Carry
+ Lower Risk of Drawing Wrong Weapon Under Stress	+ Weapon Retention
+ Hip crossdraw = Faster Engagement on Target	
+ Easier ID as a CEW By Other Officers	Higher risk of weapon confusion
Weapon retention issues, depending on DT training	Known incidents of shootings by mistaken weapon confusion

Refer to your department's tactical experts to make your own policy on how to carry, holster, and deploy the TASER CEW



Flammability

TASER CEW can ignite explosive materials, liquids, fumes, gases, vapors, or other flammable substances, gels, and materials

Gasoline, sewer gases, meth labs, flammable personal defense sprays, hair gels, butane lighters, etc.



TASER
TRAINING ACADEMY

Flammability

- Personal Defense Sprays
 - Some propulsion agents (carriers) are flammable
 - Some carriers are alcohol and oil based



TASER
TRAINING ACADEMY

Probe Placement



TASER
TRAINING ACADEMY

Line Up The CEW With The Target

- Keep CEW in line with target
- Get both probes on target
- May need to angle so bottom probe hits leg
- May need to turn CEW sideways if subject is laying down



TASER
TRAINING ACADEMY

TARGETING

- Avoid intentionally targeting the CEW on sensitive areas of the body such as the head, throat, breast, chest or area of the heart, genitals, or known pre-existing injury areas without legal justification.
- The preferred target areas are below the neck area for back shots and the lower center mass (below chest or heart area) for front shots
 - Avoid sensitive areas



TASER
TRAINING ACADEMY



Preferred Target Zone Rear (when possible)

Below neck (blue zone)

- Large muscles
- Avoid head

The back is always the preferred target area when reasonably practicable under the totality of circumstances of the incident.




Preferred Target Zone Front

(when possible)

Lower torso (blue zone below chest)

- More effective
 - Split the belt line
 - Larger muscles
- Reduces risk of hitting sensitive body areas (see current product warnings)
- Increases dart-to-heart (DTH) safety margin distances
- Do not intentionally target genitals



Probe Placement

- Deploy per department SOP
- Greater probe spread generally increases effectiveness
 - "Incapacitation by all measures was found to be a function of spread; generally increasing in effectiveness up to spreads between 9 and 12 in. There were notable differences between front and back exposures, with front exposures not leading to full incapacitation of the upper extremities regardless of probe spread."¹
 - If practical, minimum four-inch spread to have some effect
 - Narrow probe spreads typically are more effective if one probe is above the belt and the other probe is below the belt



TASER
TRAINING ACADEMY

Neuro-Muscular Incapacitation (NMI)

- There are different levels of NMI ranging from limited area effects to significant body lockup
- The greater probe spread, the higher likelihood of NMI
- CEWs may not achieve total NMI incapacitation
- Subject may maintain muscle control, particularly in arms and legs (depending on many factors, including probe locations)
- Be prepared with other force options including a drive-stun follow up to spread NMI over a wider area if necessary and reasonably appropriate
- Drive stun alone usually will not achieve NMI, only localized pain



TASER
TRAINING ACADEMY

Probe Placement

- If practicable, deploy probes at suspect's back:
 - Clothing fits tighter
 - Surprise factor
 - Stronger muscles – usually even more overwhelming
- Aim at preferred target zones
- Avoid sensitive areas of the body



Probe Placement

Video learning points:

- Aimed at open front of unzipped jacket
- Utilized physical cover and cover officers
- Custody plan in place prior to deployment
- Suspect taken into custody during the TASER CEW cycle



TASER
TRAINING ACADEMY

Probe Placement

Probe Placement

- Try to aim where clothing fits more tightly like the back or rear
- XP cartridges are more effective in reducing clothing disconnects



TASER
TRAINING ACADEMY

Probe Placement

Electrical arc can penetrate SOME soft body armor and may jump up through clothing up to approximately 1.5 – 2 inches total or approximately 0.75 – 1 inch per probe



TASER
TRAINING ACADEMY

Arcing Distance

Factors that may reduce the arcing (jumping) distance:

- 25 foot & 35 foot cartridges
 - Thinner wire insulation
 - Longer wires = more resistance
- Wires touch
- Wires fall on conductive surface such as concrete or wet grass



TASER
TRAINING ACADEMY

Some Causes of Limited Effectiveness

- Miss or single dart hit
- Incomplete, broken, or intermittent circuit
- Loose or thick clothing
- Low nerve or muscle mass
- Obese subject
- Limited probe spread
- Wires break
- Operator error



TASER
TRAINING ACADEMY

“Silence is Golden”

- Arcing electricity is noticeably louder when electrical charge is not being delivered to a subject
- Non-conductive targets are loud
- Use conductive targets in training



TASER
TRAINING ACADEMY

“Silence is Golden”

- No change in subject behavior + loud arc
= bad connection or TASER CEW use is ineffective
- Reload (M26/X26/X26P CEW) and target different area or 3-point drive stun follow up with cartridge still attached



TASER
TRAINING ACADEMY

Loud Arc = Bad Connection

**Conducted Energy Weapon
Evaluation Project**



Less Than 100%

Probe Spreads

Close spreads are
less effective . . .

Tactical Considerations

- If practical, attempt to:
 - gain compliance using verbal commands
 - use negotiation or commands before moving to CEW
- Verbal commands, display of TASER CEW, turning on the LASER, or arc display may gain compliance



TASER
TRAINING ACADEMY

Jail Video



X00117716

07/26/06 18:28:14

Injuries From Falls

- NMI frequently causes subject to fall
- Falls are often uncontrolled and subject is often unable to protect or catch himself
- Falls, even from ground level, can cause serious injuries or death
- Consider the environment (including the ground surface) and the likelihood of a fall related injury
- Consider intermittent connections/effects, such as intermittent clothing disconnects



Intermittent Connection

Increased Deployment Risk Examples

Subject:

- on an elevated position or platform
- running or under momentum
- operating vehicle or machinery
- in flammable or explosive environment



TASER
TRAINING ACADEMY

Increased Deployment Risks Video


Video Learning Points

- Elevated position
- Subject climbing over rail
- Loose clothing



TASER
TRAINING ACADEMY

Suicidal Inmate Video



Increased Deployment Risk Examples

- Obviously pregnant
- In water, mud, muck (drowning risk)
- Sensitive target areas
- Obviously frail or infirm
- Low body mass
- Probes in heart area or chest area
- Extended, repeated, or continuous discharges



TASER
TRAINING ACADEMY

Tactical Considerations

- Avoid “TASER CEW over-dependence”
- Have reasonable and appropriate force options available when practical
- Consider cover and distance tactics
- When practical:
 - have at least one back-up officer present to control/cuff under power
 - optimize choice of landing zone
 - deploy to back (rather than front)



Contingencies

- CEW may have limited or no effect
- No weapon system will operate or be effective all of the time
- A CEW or cartridge may not fire or be effective
- Be prepared to transition to other force options



TASER
TRAINING ACADEMY

Dud?

If a cartridge doesn't
fire immediately,
stay on target until
safety engaged.

Probe Placement

(Does not apply to 35 ft cartridges)

- Deployment range from point blank to 15, 21, or 25 feet depending on cartridge
- Preferred range = 7 to 15 feet from target for probe spread, officer safety, and accuracy




TASER
TRAINING ACADEMY

Deployment Distance Considerations

Deployments from 0-7 feet (0-2 meters):

- Higher hit probability
- Limited probe spread = low amount of muscle mass affected
- Short reactionary distance



Deployment Distance Considerations

Deployments from 0-7 feet (0-2 meters):

- Consider targeting the waist area to “split the belt line”:
 - Affect core muscles needed for balance
- Avoid probes near the heart or in chest:
 - Low probability of NMI
 - Increases dart-to-heart safety distance



Close Distance Video

Video Learning Points

- Both probes in the chest
- Little spread
- Some effect but not NMI
- Subject able to pull out probes



TASER
TRAINING ACADEMY

Close Distance

Deployment Distance Considerations

Deployments from 7-15 feet (2-4.5 meters):

- Higher hit probability
- Good probe spread = good amount of muscle affected
- Slack in wires (with 21 or 25 foot cartridges)
- Good reactionary distance



TASER
TRAINING ACADEMY

Deployment Distance Considerations

Deployments from 15 – 25 feet (4.5 – 7.6 m):

- May be out of range of 15/21' cartridges
- Fair hit probability with both probes
- Large probe spread = large amount of muscle affected
- Less slack in wires
- Larger reactionary distance



TASER
TRAINING ACADEMY

Be Careful of Distractions

- There are incidents/cases where officers have been accused of using excessive CEW exposures caused by distractions (including by nearby family members, bystanders, incident witnesses), stress, etc.
- Be alert to and avoid potential or occurring distractions and stress induced hesitations that result in unnecessary additional 5-second CEW cycles or extended exposures
- Distraction and stress may result in the officer inadvertently holding the trigger down unintentionally which may result in a constant electrical discharge of unintended duration



TASER
TRAINING ACADEMY

Controlling/Cuffing Under Power

You can go hands on with the subject during the 5-second cycle without feeling the effects of the NMI

- Electricity generally follows the path of least resistance
- Do not place hands on or between probes



TASER
TRAINING ACADEMY

Controlling/Cuffing Under Power

- Use each 5-second CEW cycle as a “window of opportunity” to establish control/cuff while the subject is affected
- Move in, control, and handcuff subject while the CEW is cycling during the 5-second “window of opportunity”



TASER
TRAINING ACADEMY

Controlling/Cuffing Under Power

- Be aware that emotionally disturbed persons (EDPs), focused, intoxicated, deaf, and excited delirium individuals may not comply with verbal commands
- The need for multiple 5-second cycles, or extended or prolonged CEW exposures, may be avoided or reduced by “controlling/cuffing under power” during the “window of opportunity” the 5-second CEW cycle provides



Avoid Extended, Repeated, or Prolonged TASER CEW Applications¹ Where Practicable

- Each trigger pull and/or 5-second cycle or discharge must be legally justified
- Avoid extended, repeated, or prolonged CEW applications where practical
- The application of the CEW is a physically stressful event
- Attempt to minimize the physical and psychological stress to the subject



TASER
TRAINING ACADEMY

Avoid Extended, Repeated, or Prolonged TASER CEW Applications Where Practicable

- Only apply the number of 5-second cycles reasonably necessary to capture, control or restrain the subject
- Human studies have not shown that CEW applications affect or impair breathing patterns
- If circumstances require extended duration or repeated discharges, the operator should carefully observe the subject and provide breaks in the CEW stimulation when practicable



TASER
TRAINING ACADEMY

Tactical Considerations

- Keep sufficient slack in the wires
- Move with the subject if they start to roll
- If only one probe hits or low probe spread, consider drive stun follow-up with cartridge still in place.



TASER
TRAINING ACADEMY

Look for a Change in Behavior

- Look AND listen when evaluating the effectiveness of a CEW deployment
- Watch the subject's reaction and look for a change in their behavior
- Listen to the sound of the CEW
- Quiet pulsing typically indicates a good connection



TASER
TRAINING ACADEMY

Look for a Change in Behavior

- Loud arcing sound typically indicates NO or intermittent connection
- Intermittent arcing typically indicates a poor connection such as a clothing disconnect



TASER
TRAINING ACADEMY

If No Change in Behavior

- Reload new cartridge and re-engage (M26/X26/X26P)
- Keep expended cartridge in place and apply a three-point drive-stun follow up
- Employ other force options, other alternatives, or disengage



TASER
TRAINING ACADEMY

Selective Targeting

- The CEW may be a good option for enclosed environments and close quarters such as houses, courts, jail cells, emergency rooms, crowd control, etc.
- Target specific



TASER
TRAINING ACADEMY

Close Quarters Video

- Small civil courtroom
- Suspect, victim and witness very close
- Bailiff deploys X26 at very close range
 - Initially forgot to arm the X26
 - Avoids victim and witness
 - Suspect incapacitated and held until backup arrives
- Would baton or pepper spray have been a good option?



Close Quarters Video

Correctional/Jail Use

- Good option for this setting
- Deploy CEW as one of several use of force options
- Good deterrent effect
- Decontamination (such as necessary for chemical agents) not a factor



TASER
TRAINING ACADEMY

Suicidal Subjects

- Follow your agency basic officer safety rules/training when dealing with suicidal subjects
- Establish deadly-force cover as needed, available, necessary
- CEWs can be an effective way to deal with suicidal subjects
- The CEW is NOT a substitute for deadly force



Suicidal Subject Video

Video Learning Points

- Close quarters
- Small target (in sitting position)
- Targets arm holding the knife
- Immediately disarm and control subject



TASER
TRAINING ACADEMY

Suicidal Subject

Subject Chemical or Mental Influences

- The CEW in probe mode can be effective on subjects affected by chemical or mental influences because it is not solely dependent on pain for effectiveness
- It achieves effect or incapacitation by affecting the sensory and motor functions of the nervous system



TASER
TRAINING ACADEMY

Subject Chemical or Mental Influences

- Once the subject is controlled/cuffed, evaluate the need for medical attention
- If subject loses consciousness immediately request expedited emergency medical services and carefully monitor



TASER
TRAINING ACADEMY

Subject Chemical or Mental Influences

Drive Stun



TASER
TRAINING ACADEMY

Drive-Stun Backup

Probe deployments are usually more desirable/effective than drive stuns (that are not three-point deployments)

- NMI vs. pain compliance
- Can be applied from a safer distance
- Usually require fewer cycles



TASER
TRAINING ACADEMY

Drive Stun with Live Cartridge

- Can be effective, but the probes may deploy into the subject
- Close probe spread will likely not have significant effect or NMI
- Leave deployed cartridge in place and apply (three-point) drive stun away from probe impact sites

This tactic could result in significant injury if applied to a subject's head, neck, or other sensitive area



Drive Stun with Live Cartridge



One Probe Hit With (three-point) Drive-Stun Follow up

If only one probe impacts the subject, or if the probe spread is close or ineffective, a drive stun with the cartridge still attached can act as the second probe and complete the circuit, thus may cause NMI



TASER
TRAINING ACADEMY

Angled Drive-Stun

See the Angled Drive-Stun presentation on the training DVD for more information on this technique



TASER
TRAINING ACADEMY

Drive Stun Follow Up

Drive-Stun Backup

- To use the drive stun without firing the probes, remove the live cartridge (M26/X26/X26P)
- The drive stun will typically not cause NMI, only pain compliance
- If not effective, evaluate the location of the drive stun, consider an additional cycle to a different pressure point or consider an alternative force option



TASER
TRAINING ACADEMY

Drive-Stun Backup

**Do not hold on to a live cartridge
while applying a drive stun
(M26/X26/X26P)**

- If cartridge gets within approximately 2 inches of the CEW, it may deploy



TASER
TRAINING ACADEMY

Drive-Stun Mode

- For maximum effectiveness, drive the CEW into certain pressure points
- Use care when applying the drive stun to the neck or groin
- Stay away from the trachea, the back of the neck and the genetals



TASER
TRAINING ACADEMY

Drive-Stun Marks (X26)



Drive stun marks - fresh



Drive stun marks – 1 day



Drive stun marks – 6 days



Drive stun marks – 7 days



TASER
TRAINING ACADEMY

Drive-Stun Techniques

Animals



TASER
TRAINING ACADEMY

Effects on Animals

If animals are stunned, consider having animal control stand by to apply a restraint during the cycle



TASER
TRAINING ACADEMY

Animal Use Video

- Not a good environment for a firearm
- Successful deployment on running and charging dogs
- Pit bull video was captured on TASER CAM



TASER
TRAINING ACADEMY

Animal Use

Police/Military K-9 Caution

- If K-9 bites probe or between probes during CEW deployment, the dog may receive a shock
- An electrical shock to a K-9 may result in a hesitant, hesitating, or bite adverse K-9
- Develop procedures and train K-9 handlers and CEW operators on this issue



TASER
TRAINING ACADEMY

Post Incident



TASER
TRAINING ACADEMY

Clearly Record the Incident

- If available, use on-officer point of view (“POV”) incident recording equipment
- When safe, consider using your radio to establish record of significant events with dispatch time logs (call in):
 - Immediately at end of CEW use
 - Immediately upon subject being handcuffed
 - Person’s perceived medical status and condition and any changes



TASER
TRAINING ACADEMY

Probe Removal Policy Considerations

- May officers remove probes:
 - Common probe penetration
 - Sensitive location probe penetration
 - Uncommon probe penetration
- Proper handling of removed probes
 - Bio-hazard
 - Evidentiary value



TASER
TRAINING ACADEMY

Probe Removal Follow-up

- Note if probes penetrated skin
- Photographs of impact site and injuries
- Medical follow-up
- Ensure probe and barb are intact



TASER
TRAINING ACADEMY



Considerations for Handling Used Probes (Field Deployments)

Each agency will establish its own procedure for probe collection, retention, and disposal

Factors to be considered include:

- Unanticipated probe-related injury
- Probe in sensitive area
- Deeper embedment of probe due to movement, body position, or pressure on probe
- Evidence collection, proper storage, and retention*



TASER
TRAINING ACADEMY



Considerations for Handling Used Probes

(Field Deployments & Training)

Each agency will establish its own procedure for probe collection, retention, and disposal

- Treat probes that have penetrated the body as contaminated needles (use gloves)
- Grab probe firmly and quickly pull (pluck) straight out (consistent with agency policy)
- Carefully place used probes sharp-tip first into either a sharps container or into the cartridge side wire pocket container, secure in place, and place in a secure location where no one will accidentally touch probes



Evidence Collection

Consider (consistent with legal requirements and agency policy):

- Photographing injuries, probe impact or energy arcing sites or contact points
- Collecting cartridge, probes, AFIDs
- TASER CEW Evidence Collection and Analysis Course



TASER
TRAINING ACADEMY

Arrest-Related Death (ARD) Warning Signs

Should one or more of the following behaviors manifest, the suspect may require immediate medical assistance due to pre-existing conditions, possible overdose, cocaine psychosis, excited delirium, etc. Consider having EMS standing by.

- Bizarre or violent behavior
- Signs of overheating/profuse sweating
- Disrobing
- Violence toward/attacking glass, lights, and reflective surfaces
- Superhuman strength and endurance
- Impervious to pain - self-mutilation
- Loss of consciousness
- Disturbance in respiratory pattern



TASER
TRAINING ACADEMY

RESUME PLAY

A grainy, night-time video frame showing a street scene. On the left, a building with a porch light is visible. In the center, a police officer in a dark uniform stands near a white car. To the right, a person in a dark jacket and light pants is walking away from the camera. The street is lined with trees and streetlights, and a bright light source is visible in the upper right corner.

WPBPD X-029

LTS-BRK

02:14:43 FEB-23-05 2397

Post Arrest-Related Death Evidence

- Do not assume medical examiner is familiar with sudden death, arrest-related death, excited delirium,
- Have core body temperature obtained prior to death (or as soon as possible after death)
- 1 800-UM-BRAIN – University of Miami
 - VERY time sensitive – 24 hours to collect, harvest, prepare, and freeze brain samples (www.exciteddelirium.org)
- Collect samples – for determining acute and chronic drug (especially stimulant) abuse
- Conduct Psychological Autopsy



TASER
TRAINING ACADEMY

Post Arrest-Related Death Evidence

- Download CEW as soon as reasonably possible, including time-drift correction
- Collect copies of all AED/cardiac monitor rhythm strips, digital downloads, maintenance downloads, serial numbers, etc.
- Collect copies of all EMS and emergency room records
- Collect subject's clothing
- Collect and carefully maintain as evidence all expended cartridges, probes, and wires



TASER
TRAINING ACADEMY

Arrest-Related Death Responses

- Recommend PIO/Agency Spokesperson attend TASER training to understand technology/organize crisis plan for an arrest-related death (ARD)
- In the event of an ARD following the use of a CEW, refer to the ARD checklist located in the Support Materials folder
- Obtain as much information as possible regarding the incident
- Prepare media statement and provide media with information about TASER technology




TASER
TRAINING ACADEMY

Private CEW Ownership



TASER
TRAINING ACADEMY

Consumer Defense TASER CEWs



TASER CEWs are legal for citizen self-defense in 45 states*



Initial CEW User Certification:

M26, X26, X26P, X2 or X3 CEWs

- Minimum of 6 hours on the CEW to be carried/used
 - Some states have mandatory CEW training requirements
- Must use supplied TASER user course lesson plan in its entirety **(including all PowerPoint slides and instructor notes)**



TASER
TRAINING ACADEMY

CEW User Re-Certification:

M26, X26, X26P, X2, or X3 CEWs

With the release of each new set of warnings or training PowerPoint instructors and agencies are to immediately distribute and mandate review of the updated product warnings and user update course PowerPoint presentation to all officers or others authorized to carry or use a CEW.

- Must complete, review, and be familiar with User Update PowerPoint
- Must fire at least two cartridges annually
- Check www.TASER.com 72 hours prior to training for current training and warning materials



Non-Firing Drills



TASER
TRAINING ACADEMY

Firing Drills



TASER
TRAINING ACADEMY

Isolation Exercises



TASER
TRAINING ACADEMY

Stress Course



TASER
TRAINING ACADEMY

Scenarios



TASER
TRAINING ACADEMY

Conclusion and Test

Questions?



TASER
TRAINING ACADEMY

TASER X26

Constructed of impact resistant sonic welded polymer. Mass = 7 ounces.

